

CRASH FIRE & RESCUE FIREFIGHTING CAPABILITY AT VARIOUS AIRPORTS NATIONWIDE

As of April 27, 2004

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimum Requirements Based in ICAO			CFR Cat. Act'l.	ACTUAL CFR CAPACITY			
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)		Existing CFR Vehicles	CAPACITY		
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)
Area Center 1 - Mactan-Cebu International Airport													
1	1. Dumaguete Trunkline RPVD	B-737 DC-9	28m up to 38m	700 below	5	5,400	324	180	4	Toyota Tamaraw SIDES VMA 28 SIDES Dodge VIRM 13 Total	none 2,400 1,200 3,600	none 300 150 450	70 135 135 340
1	2. Tagbilaran Secondary RPVT	LET-410 B-737	18m up to 23m	700 below	5	5,400	324	180	4	SIDES VMA 28 Presha 800 Total	2,400 3,630 6,030	300 230 530	135 none 135
1	3. Ubay Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	none	none	none	none
1	4. Siquijor Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.	none	none	125
1	5. Bantayan Feeder	Aviation Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125
Area Center 2 - Laoag International Airport													
2	6. Laoag Alt. Int'l. RPLI	B-737 A320	28m up to 38m	700 below	6	7,900	474	225	4	SIDES VMA 105 SIDES VMA 28 SIDES VMA 28* FUSO FK 102 OSHKOSH T-6 LAND ROVER Total	for repair for repair 2,400 2,835 for repair 75 5,310	300 190 premix 490	135 70 340
2	7. Tuguegarao Secondary RPUT	B-737	28m up to 38m	700 below	5	7,900	474	225	4	SIDES VMA 28 Total	2,400 2,400	300 300	135 135
2	8. Cauayan Secondary RPUY	LET-410	18m up to 38m	700 below	4	2,400	144	135	3	Ford Pick-Up SIDES Dodge VIRM 13 Total	75 premix 75	premix 135	135 135
2	9. Basco Secondary RPUO	Fokker 27 CN-235	18m up to 38m	700 below	4	2,400	144	135	4	SIDES VMA 28 Wheel Type Fire Extin. Total	2,400 2,400	300 300	135 125 260
2	10. San Fernando Secondary RPUS	Gen. Aviation	12m up to 17m	700 below	3	1,200	72	135	4	SIDES VMA 28 Total	2,400 2,400	300 300	135 135

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimun Requirements Based in ICAO			CFR Cat. Act'l.	ACTUAL CFR CAPACITY				
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)		Existing CFR Vehicles	CAPACITY			
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)	
2	11. Baguio Trunkline RPUB	YS-11	24m up to 27m	700 below	4	2,400	144	135	4	SIDES VMA 28 for repair				
										FUSO FK 102	2,835	190	70	
										Total	2,835	190	70	
2	12. Lingayen Feeder RPUR	Gen. Aviation	12m up to 17m		3	1,200	72	135	2	Toyota tamaraw	756	premix	135	
										Wheel Type Fire Extin.			125	
										Total	756		260	
2	13. Bagabag Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125	
2	14. Vigan Feeder RPUQ	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125	
2	15. Itbayat Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	none				
2	16. Palanan Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125	
2	17. Rosales Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	none				

Area Center 3 - Plaridel Airport

3	18. Puerto Princesa Trunkline RPVP	A-330 DC-9 B-737 LET-410	61m up to 75m	700 below	8	18,200	1,092	450	6	SIDES VMA 105 for repair			none	
										SIDES VMA 28	2,400	300	135	
										FORD PICK UP	75	premix	135	
										OSHKOSH T-6	6,000			
										SANYONG FT. (AFP)	3,000	none	none	
										Total	11,475	300	270	
3	19. San Jose Trunkline RPUH	B-737 YS-11	28m up to 38m	700 below	5	5,400	324	180	4	SIDES VMA 28	2,400	300	135	
										LAND ROVER	none	none	135	
										Total	4,290	490	0	
3	20. Marinduque Secondary RPUW	LET-410	18m up to 38m	700 below	3	1,200	72	135	4	SIDES VMA 28	2,400	300	135	
										LAND ROVER	none	none	135	
										Total	2,400	300	270	
3	21. Romblon Secondary RPUV	LET-410	18m up to 38m	700 below	3	1,200	72	135	4	SIDES VMA 28	2,400	300	135	
										MAZDA T-2000	190	premix	204	
										Total	2,590	300	339	

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimun Requirements Based in ICAO			CFR Cat. Act'l.	ACTUAL CFR CAPACITY				
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)		Existing CFR Vehicles	C A P A C I T Y			
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)	
3	22. Plaridel Secondary RPUX	Gen. Aviation	12m up to 17m		3	1,200	72	135	4	SIDES VMA 28	2,400	300	135	
										LAND ROVER	none	none	135	
										Total	2,400	300	270	
3	23. Mamburao Secondary RPUM	Gen. Aviation	12m up to 17m		3	1,200	72	135	4	SIDES VMA 28	2,400	300	135	
										Total	7,200	900	675	
3	24. Pinamalayan Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	FORD PICK UP	75	premix	135	
										Total	75		135	
3	25. Iba Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	3	Wheel Type Fire Extin.			125	
										SIDES Dodge VIRM 13	1,200	150	135	
										Total	1,200	150	260	
3	26. Calapan Feeder RPUK	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125	
3	27. Lubang Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125	
3	28. Cuyo Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125	
3	29. Busuanga Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin.			125	
										IH 350	for repair			
										Total			125	
3	30. Wasig Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					
3	31. Jomalig Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					
3	32. Alabat Feeder RPLY	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					
3	33. Lucena Feeder RPUF	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimun Requirements Based in ICAO			CFR Cat. Act'l.	ACTUAL CFR CAPACITY				
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)		Existing CFR Vehicles	CAPACITY			
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)	
3	34. Baler Feeder RPUR	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					

Area Center 4 - Legazpi Airport

4	35. Legaspi Trunkline RPLP	B-737	28m up to 38m	700 below	5	5,400	324	180	4	SIDES VMA 28	2,400	300	135
										IH-R190	1,890	190	135
										FORD PICK UP	75	premix	135
										Total	4,365	490	405
4	36. Daet Secondary RPUD	Gen. Aviation	12m up to 17m		3	1,200	72	135	3	SIDES Dodge VIRM 13	1,200	150	135
										Total	1,200	150	135
4	37. Naga Secondary RPUN	B-737	28m up to 38m	700 below	5	5,400	324	180	4	SIDES VMA 28	2,400	300	135
										SIDES VMA 28 for repair			
										Total	2,400	300	135
4	38. Virac Secondary RPUV	YS-11	24m up to 27m	700 below	4	2,400	144	135	4	SIDES VMA 28	2,400	300	135
										IH-R190 unserviceable			
										Toyota Tamaraw	756	premix	70
										Total	2,400	300	205
4	39. Masbate Secondary RPVJ	YS-11	24m up to 27m	700 below	4	2,400	144	135	4	SIDES VMA 28	2,400	300	135
										Mazda T-3000 unserviceable			
										Total	2,400	300	135
4	40. Sorsogon Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				
4	41. Bulan Feeder RPUU	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				

Area Center 5 - Iloilo Airport

5	42. Iloilo Trunkline RPVI	A-320 B-737 DC-9	28m up to 38m	700 above	6	7,900	474	225	4	SIDES VMA 28	2,400	300	135
										SIDES VMA 28	2,400	300	135
										Presha 450	2,040	190	70
										Total	6,840	790	340
5	43. Bacolod Trunkline RPVB	A-320 B-737 DC-9	28m up to 38m	700 above	6	7,900	474	225	9	IVECO-MAGIRUS	9,000	1,000	227
										IVECO-MAGIRUS	9,000	1,000	227
										IVECO-MAGIRUS	9,000	1,000	227
										Total	27,000	3,000	681

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimun Requirements Based in ICAO			CFR Cat. Act'l.	ACTUAL CFR CAPACITY				
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)		Existing CFR Vehicles	C A P A C I T Y			
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)	
5	44. Roxas Trunkline RPVR	B-737 DC-9	28m up to 38m	700 below	5	5,400	324	180	5	SIDES VMA 28	2,400	300	135	
										Presha 450	2,040	190	70	
										Toyota Pick up	none	none	270	
										SIDES Dodge VIRM 13	1,200	150	135	
										Total	5,640	640	610	
5	45. Kalibo Secondary RPVK	B-737 DC-9	28m up to 38m	700 above	6	7,900	474	225	6	SIDES VMA 105	9,500	1,100	none	
										SIDES Dodge VIRM 13	1,200	150	135	
										Total	10,700	1,250	135	
5	46. Caticlan Feeder RPVF	DASH-7 YS-11 LET-410	18m up to 38m	700 above	4	2,400	144	135	3	SIDES VMA 28	2,400	300	135	
										Total	2,400	300	135	
5	47. Antique Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	4	Presha 800	3,630	230	135	
										Total	3,630	230	135	
Area Center 6 - Tacloban Airport														
6	48. Tacloban Trunkline RPVA	A-320 B-737 DC-9	28m up to 38m	700 above	6	7,900	474	225	9	LAND ROVER	under repair			
										IVECO-MAGIRUS	9,000	1,000	227	
										IVECO-MAGIRUS	9,000	1,000	227	
										IVECO-MAGIRUS	9,000	1,000	227	
										Total	27,000	3,000	681	
6	49. Ormoc Feeder RPVO	DASH-7	18m up to 38m		3	1,200	72	135	3	SIDES VIRM 13	1,200	150	135	
										Total	1,200	150	135	
6	50. Catarman Secondary RPVF	YS-11	24m up to 27m	700 below	4	2,400	144	135	4	SIDES VMA 28	2,400	300	135	
										PRESHA 450	2,040	190	70	
										Total	4,440	490	205	
6	51. Calbayog Secondary RPVC	YS-11	24m up to 27m	700 below	4	2,400	144	135	4	SIDES VMA 28	2,400	300	135	
										IH-R190	1,890	190	135	
										Total	4,290	490	270	
6	52. Borongan Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					
6	53. Biliran Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					
6	54. Dolores Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimun Requirements Based in ICAO			ACTUAL CFR CAPACITY				
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)	CFR Cat. Act'l.	Existing CFR Vehicles	C A P A C I T Y		
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)
6	55. Guiuan Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				
6	56. Hilongos Feeder RPVH	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				
6	57. Maasin Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				
6	58. Catbalogan Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				

Area Center 7 - Zamboanga International Airport

7	59. Zamboanga Alt. Int'l. RPMZ	A-320 B-737 DC-9	28m up to 38m	700 above	6	7,900	474	225	6	SIDES VMA 105 SIDES VIRM 13 Total	9,500 1,200 10,700	1,100 150 1,250	none 135 135
7	60. Pagadian Secondary RPMP	Gen. Aviation	12m up to 17m		3	1,200	72	135	4	SIDES VMA 28 Mazda T-2000 Total	2,400 190 2,590	300 premix 300	135 135 270
7	61. Jolo Secondary RPMJ	LET-410	12m up to 17m	700 below	3	1,200	72	135	4	SIDES VMA 28 Total	2,400 2,400	300 300	135 135
7	62. Dipolog Secondary RPMG	B-737 YS-11	28m up to 38m	700 below	5	5,400	324	180	5	SIDES VMA 28 SIDES VMA 28 Limited Service Presha 450 SIDES Dodge VIRM 13 Total	2,400 Limited Service 2,040 1,200 Limited Service 5,640	300 190 490	135 135 70 340
7	63. Ozamiz Secondary RPMO	Gen. Aviation	12m up to 17m		3	1,200	72	135	4	SIDES VMA 28 Total	2,400 2,400	300 300	135 135
7	64. Sanga-Sanga Secondary RPMN	LET-410	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin. Total	 125	 125	 125
7	65. Cag. de Sulu Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				
7	66. Ipil Feeder	Gen. Aviation	12m up to		3	1,200	72	135	0	Wheel Type Fire Extin.			125

17m

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimun Requirements Based in ICAO			CFR Cat. Act'l.	ACTUAL CFR CAPACITY			
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)		Existing CFR Vehicles	CAPACITY		
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)
7	67. Liloy Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				
7	68. Siocon Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0				

Area Center 8 - Davao International Airport

8	69. Davao Alt. Inter'l. RPMD	A-330 B-737 A-320 DC-9	61m up to 75m	700 above	9	24,300	1,458	450	8	SIDES VMA 105 SIDES VMA 28 OSHKOSH T-6 MAZDA T-3000 IVECO-MAGIRUS Total	9,500 2,400 6,000 200 5,700 23,800	1,100 300 776 premix 750 2,926	none 135 350 450 550 1,620
8	70. Cotabato Trunkline RPMC	B-737	28m up to 38m	700 below	5	5,400	324	180	5	SIDES VMA 28 Mazda T-2000 Fuso FK-102 Total	2,400 190 2,835 5,425	2,400 premix 190 2,590	135 204 70 409
8	71. Tandag Secondary RPMW	LET-410 YS-11	12m up to 17m	700 below	3	1,200	72	135	3	HINO Total	1,200 1,200	150 150	135 135
8	72. Bislig Secondary RPMF	Gen. Aviation	12m up to 17m		3	1,200	72	135	3	HINO Total	1,200 1,200	150 150	135 135
8	73. Allah Valley Feeder RPMA	Gen. Aviation	12m up to 17m		3	1,200	72	135	3	Mazda T-2000 Total	190 190	premix 204	204 204
8	74. General Santos (Tambler) Al. Int'l. RPMR	A-330 B-737	61m up to 75m	700 below	8	18,200	1,092	450	8	SIDES VMA-105 SIDES VIRM-13 PRESHA-800 OSHKOSH T-6 SIDES VMA-28 BFP Fire Truck Total	for repair 1,200 3,630 6,000 2,400 10,000 23,230	150 230 776 300 none 1,456	135 none 135 135 none 270
8	75. Mati Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	3				

Area	Name of Airport	Critical Aircraft			Airport CFR Cat. Req'd.	Minimun Requirements Based in ICAO			ACTUAL CFR CAPACITY					
		Type	Length	Movement		Water (L)	AFFF/ (L)	DCP/ (Kg)	CFR Cat. Act'l.	Existing CFR Vehicles	CAPACITY			
											Water/ (L)	AFFF/ (L)	DCP/ (Kg)	
Area Center 9 - Cagayan de Oro Airport														
9	76. Cagayan de Oro Trunkline RPML	A-320 B-737 DC-9	28m up to 38m	700 above	6	7,900	474	225	7	HINO SIDES VMA-105 SIDES VIRM-13 IH-R190 Total	1,200 9,500 1,200 1,890 13,790	150 1,100 150 190 1,590	135 none 135 135 405	
9	77. Butuan Trunkline RPME	B-737 DC-9	28m up to 38m	700 below	5	5,400	324	180	4	SIDES VMA 28 SIDES VIRM-13 Total	2,400 subject for repair 2,400	300 300	135 135	
9	78. Iligan Secondary RPMI	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					
9	79. Surigao Secondary RPMS	Gen. Aviation	12m up to 17m		3	1,200	72	135	4	ISUZU SIDES Dodge VIRM-13 Total	2,835 subject for repair 2,835	190 190	135 135	
9	80. Siargao Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	4	FUSO FK-102 Total	2,835 2,835	190 190	70 70	
9	81. Camiguin Feeder	LET-410	12m up to 17m	700 below	3	1,200	72	135	3	HINO Total	1,200 1,200	150 150	135 135	
9	82. Malaybalay Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0	Wheel Type Fire Extin. Total			125 125	
9	83. Malabang Feeder	Gen. Aviation	12m up to 17m		3	1,200	72	135	0					

