



REQUEST FOR QUOTATION / PROPOSAL

The Civil Aviation Authority of the Philippines – Central Office (CAAP-CO), through its Canvass and Contract Committee (CCC), will undertake a Small Value Procurement for the project described below for Fiscal Year 2025, in accordance with Section 34 of the **Implementing Rules and Regulations (IRR) of Republic Act No. 12009**, otherwise known as the “New Government Procurement Act.”

RFQ No.	: C25-067-08
Name of the project	: Supply and delivery of Range Finder Device for ATS-AFDD use
Approved Budget for Contract (ABC)	: Php40,000.00
Terms	: See the attached Annex “A” for Terms of Reference
Location	: Procurement Division, CAAP, MIA Road, Pasay City
Delivery term	: Sixty (60) calendar days
Delivery time	: 8:00 AM – 4:00 PM
Delivery location	: CAAP Head Office Warehouse
Warranty	: One (1) year upon acceptance

I. SUBMISSION OF DOCUMENTS

Interested suppliers are required to submit the following valid and current documents, which must be: properly paginated, with tabbing, and placed in a sealed long brown envelope; and chronologically arranged in accordance with the list below:

1. Valid PhilGEPS Registration Certificate (Platinum Membership) – all pages;
2. Valid Mayor’s/Business Permit;
3. Valid Tax Clearance Certificate;
4. Latest Income and/or Business Tax Return (Annual or Quarterly);
5. Duly accomplished and original Omnibus Sworn Statement (OSS) in the form prescribed by the NGPA Standard Forms, and if applicable:
 - Original Notarized Secretary’s Certificate, for corporations, partnerships, or cooperatives; or
 - Original Special Power of Attorney, for joint ventures, authorizing the signatory to represent the Bidder and sign the OSS (required for ABCs above ₱50,000.00);
6. Original brochure or product literature (if applicable);
7. Duly accomplished Price Quotation Form, in the prescribed format.

Upon claiming the Contract, the winning supplier shall present the original copies of all documents listed above for verification purposes, or submit a Certified True Copy issued by the relevant government agency. However, original copies of the Omnibus



Sworn Statement, Brochure (if applicable), and Price Quotation Form must be included in the submitted sealed quotation/proposal.

II. QUOTATION VALIDITY AND SUBMISSION DETAILS

All price quotations shall remain valid for a period of one hundred twenty (120) calendar days from the date of submission. Interested suppliers must submit their quotation or proposal in person, enclosed in a sealed long brown envelope, on or 09 OCT 2025, not later than 10:00 A.M., at the 3rd Floor, Procurement Division, General Services Building, Civil Aviation Authority of the Philippines, Old MIA Road, Pasay City, Metro Manila. Late submissions shall not be accepted and will be deemed non-compliant.

Addressed to:

THE SECRETARIAT

Canvass and Contract Committee (CCC)
Civil Aviation Authority of the Philippines
Old MIA Road, Pasay City, Metro Manila

Likewise, any quotation or proposal exceeding the Approved Budget for the Contract (ABC) shall be automatically rejected.

III. EVALUATION AND AWARD OF CONTRACT

The contract shall be awarded to the supplier, contractor, or consultant determined to have submitted either the Single or Lowest Calculated and Responsive Bid (S/LCRB) for goods and infrastructure projects, the Most Economically Advantageous and Responsive Quotation (MEARQ), or, in the case of consulting services, the Single or Highest Rated and Responsive Proposal (S/HRRP), in accordance with Section 66 of the Implementing Rules and Regulations (IRR) of Republic Act No. 12009.

IV. INSPECTION AND ACCEPTANCE

The CAAP Technical Inspection and Acceptance Committee (TIAC) reserves the right to inspect and/or test the goods to verify compliance with the technical specifications.

V. OTHER CONDITIONS

Any interlineations, erasures, or overwriting in the submitted documents shall be considered valid only if they are signed or initialed by the bidder or their duly authorized representative. In the event of delay or failure to perform contractual obligations, liquidated damages, if applicable, shall be imposed in accordance with Section 71 of the Implementing Rules and Regulations (IRR) of Republic Act No. 12009, or as otherwise provided in the contract.

Issued, this October 01, 2025 at the Civil Aviation Authority of the Philippines - Central Office Complex, Pasay City.

for: *SS Pagkalinanga 10/02/2025*
ATTY. MARK NESTER T. MENDOZA
Chairperson
Canvass and Contract Committee
Civil Aviation Authority of the Philippines



TERMS OF REFERENCE

Name of Project	: Supply and Delivery of Range Finder Device for ATS-AFPDD use
Approved Budget	: Php40,000.00
Delivery Period	: Sixty (60) calendar days from the receipt of Notice for Compliance <i>Note: Partial delivery is not allowed.</i>
Sample or Brochure	: Required
Delivery Location	: CAAP Head Office Warehouse <i>Note: Delivery must be made only from 8:00AM-4:00PM during regular work days.</i> <i>A Written Notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery.</i> <i>A confirmation of availability of concerned office must be received by the supplier before proceeding with the delivery. None compliance may be a ground for refusal of entry to the premises and receipt of delivery with no fault on the part of the Civil Aviation Authority of the Philippines.</i>
Terms of Payment	: Payment upon full delivery and subject to usual government accounting rules and regulations.

Technical Specifications:

Item	Laser Rangefinder
Quantity	One (1) unit
Measurement range	Distance: 9.1-1,820m/10-2,000 yd. Angle: ±89°

Maximum measurement distance (tree)	1,370m/1,500 yd.
Maximum measurement distance (animal)	1,000m/1,100 yd.
Display (increment)	Actual Distance: every 0.1m/yd. Horizontal Distance: every 0.1m/yd. Height: every 0.1m/yd. Angle: every 0.1°
Accuracy (actual distance)	±0.75m/yd. (shorter than 600m/yd.) ±1.00m/yd. (600m/yd. and over, shorter than 1,000m/yd.) ±1.50m/yd. (1,000m/yd. and over)
Finder	Magnification (x): 6
	Effective objective diameter (mm): 21
	Actual field of view (°): 7.5
	Exit pupil (mm): 3.5
	Eye relief (mm): 18
Dimensions (L x H x W) (mm/inch)	110 x 74 x 41/4.3 x 2.9 x 1.6
Weight (excluding battery) (g/oz.)	180/6.3
Power source	CR2 lithium battery x 1 (DC 3V) Auto power shut-off (after approx. 8 sec. unoperated)
Waterproof structure	Waterproof (up to 1m/3.3 ft. for 10 minutes), fogproof Battery chamber is rainproof — JIS/IEC protection class 4 (IPX4) equivalent
Laser classification	IEC60825-1: Class 1M/Laser Product FDA/21 CFR Part 1040.10: Class I Laser Product
Electromagnetic compatibility	FCC Part15 SubPartB class B, EU:EMC directive, AS/NZS, VCCI classB, CU TR 020, ICES-003
Environment	RoHS, WEEE
Warranty	1 Year upon acceptance

Prepared by:


APRIL FRANCES P. OBIÑA
Head, Procurement Planning
Air Traffic Service

Approved by:


MARLENE I. SINGSON
Assistant Director General II
Air Traffic Service



PRICE QUOTATION FORM

Date: _____

The Chairperson
 Canvass and Contract Committee
 Procurement Division, CAAP,
 MIA Road, Pasay City

Sir:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Supply and Delivery of Range Finder Device for ATS-AFPDD				
Technical Specifications	Quantity	Unit	Unit Price	Total Price
Range Finder Device	1	unit		
Measurement range: Distance: 9.1-1,820m/10-2,000 yd. Angle: $\pm 89^\circ$ Maximum measurement distance (tree): 1,370m/1,500 yd. Maximum measurement distance (animal): 1,000m/1,100 yd. Display (increment): Actual Distance: every 0.1m/yd. Horizontal Distance: every 0.1m/yd. Height: every 0.1m/yd. Angle: every 0.1° Accuracy (actual distance): ± 0.75 m/yd. (shorter than 600m/yd.) ± 1.00 m/yd. (600m/yd. and over, shorter than 1,000m/yd.) ± 1.50 m/yd. (1,000m/yd. and over) Finder: Magnification (x): 6 Effective objective diameter (mm): 21 Actual field of view ($^\circ$): 7.5 Exit pupil (mm): 3.5				



Eye relief (mm): 18

Dimensions (L x H x W) (mm/inch):

110 x 74 x 41/4.3 x 2.9 x 1.6

Weight (excluding battery) (g/oz.):

180/6.3

Power source:

CR2 lithium battery x 1 (DC 3V)
Auto power shut-off (after approx. 8 sec.
unoperated)

Waterproof structure:

Waterproof (up to 1m/3.3 ft. for 10 minutes),
fogproof
Battery chamber is rainproof — JIS/IEC
protection class 4 (IPX4) equivalent

Laser classification:

IEC60825-1: Class 1M/Laser Product
FDA/21 CFR Part 1040.10: Class I Laser Product

Electromagnetic compatibility:

FCC Part15 SubPartB class B, EU:EMC directive,
AS/NZS, VCCI classB, CU TR 020, ICES-003

Environment:

RoHS, WEEE

Warranty (upon acceptance)

1 Year warranty on-site on Parts and Service

Supplier/Manufacturer should have an
Authorized Service/Support Center

TOTAL (inclusive of VAT)

(Amount in Words)

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/Signature of Representative

Position

Name of Company

Contact No.

Email Address