



REQUEST FOR QUOTATION / PROPOSAL

The Civil Aviation Authority of the Philippines – Central Office (CAAP-CO), through its Canvass and Contract Committee (CCC), will undertake a Small Value Procurement for the project described below for Fiscal Year 2025, in accordance with Section 34 of the **Implementing Rules and Regulations (IRR) of Republic Act No. 12009**, otherwise known as the “New Government Procurement Act.”

RFQ No.	: C25-104-10
Name of the project	: Supply, delivery and installation Multifunction Coloured Laser Printers up to A3 capable with Refillable ink for ATS Offices and Facilities use
Approved Budget for Contract (ABC)	: Php400,000.00
Terms	: See the attached Annex “A” for Terms of Reference
Location	: Procurement Division, CAAP, MIA Road, Pasay City
Delivery term	: Thirty (30) calendar days
Delivery time	: 8:00 AM – 4:00 PM
Delivery location	: CAAP Head Office Warehouse
Warranty	: One (1) year upon acceptance

I. SUBMISSION OF DOCUMENTS

Interested suppliers are required to submit the following valid and current documents, which must be: properly paginated, with tabbing, and placed in a sealed long brown envelope; and chronologically arranged in accordance with the list below:

1. Valid PhilGEPS Registration Certificate (Platinum Membership) – all pages;
2. Valid Mayor’s/Business Permit;
3. Valid Tax Clearance Certificate;
4. Latest Income and/or Business Tax Return (Annual or Quarterly);
5. Duly accomplished and original Omnibus Sworn Statement (OSS) in the form prescribed by the NGPA Standard Forms, and if applicable:
 - Original Notarized Secretary’s Certificate, for corporations, partnerships, or cooperatives; or
 - Original Special Power of Attorney, for joint ventures, authorizing the signatory to represent the Bidder and sign the OSS (required for ABCs above ₱50,000.00);
6. Original brochure or product literature (if applicable);
7. Duly accomplished Price Quotation Form, in the prescribed format.



Upon claiming the Contract, the winning supplier shall present the original copies of all documents listed above for verification purposes, or submit a Certified True Copy issued by the relevant government agency. However, original copies of the Omnibus Sworn Statement, Brochure (if applicable), and Price Quotation Form must be included in the submitted sealed quotation/proposal.

II. QUOTATION VALIDITY AND SUBMISSION DETAILS

All price quotations shall remain valid for a period of one hundred twenty (120) calendar days from the date of submission. Interested suppliers must submit their quotation or proposal in person, enclosed in a sealed long brown envelope, on or 09 OCT 2025, not later than 10:00 A.M., at the 3rd Floor, Procurement Division, General Services Building, Civil Aviation Authority of the Philippines, Old MIA Road, Pasay City, Metro Manila. Late submissions shall not be accepted and will be deemed non-compliant.

Addressed to:

THE SECRETARIAT

Canvass and Contract Committee (CCC)
Civil Aviation Authority of the Philippines
Old MIA Road, Pasay City, Metro Manila

Likewise, any quotation or proposal exceeding the Approved Budget for the Contract (ABC) shall be automatically rejected.

III. EVALUATION AND AWARD OF CONTRACT

The contract shall be awarded to the supplier, contractor, or consultant determined to have submitted either the Single or Lowest Calculated and Responsive Bid (S/LCRB) for goods and infrastructure projects, the Most Economically Advantageous and Responsive Quotation (MEARQ), or, in the case of consulting services, the Single or Highest Rated and Responsive Proposal (S/HRRP), in accordance with Section 66 of the Implementing Rules and Regulations (IRR) of Republic Act No. 12009.

IV. INSPECTION AND ACCEPTANCE

The CAAP Technical Inspection and Acceptance Committee (TIAC) reserves the right to inspect and/or test the goods to verify compliance with the technical specifications.

V. OTHER CONDITIONS

Any interlineations, erasures, or overwriting in the submitted documents shall be considered valid only if they are signed or initialed by the bidder or their duly authorized representative. In the event of delay or failure to perform contractual obligations, liquidated damages, if applicable, shall be imposed in accordance with Section 71 of the Implementing Rules and Regulations (IRR) of Republic Act No. 12009, or as otherwise provided in the contract.

Issued, this October 01, 2025 at the Civil Aviation Authority of the Philippines - Central Office Complex, Pasay City.

For: *EsPachalinas 10/02/2025*
ATTY. MARK NESTER T. MENDOZA
Chairperson
Canvass and Contract Committee
Civil Aviation Authority of the Philippines



TERMS OF REFERENCE

Name of Project	:	Supply, Delivery and Installation of Multifunction Coloured Printers up to A3 Capable with Refillable Ink for ATS Offices and Facilities use
Approved Budget	:	Php400,000.00
Delivery Period	:	Thirty (30) calendar days from the receipt of Notice for Compliance <i>Note: Partial delivery is not allowed.</i>
Sample or Brochure	:	Required
Delivery Location	:	CAAP Head Office Warehouse <i>Note: Delivery must be made only from 8:00AM-4:00PM during regular work days.</i> <i>A Written Notice must be sent to the official email address of the Procurement Division, and Supply Division at least seven (7) calendar days prior to the intended date of delivery.</i> <i>A confirmation of availability of concerned office must be received by the supplier before proceeding with the delivery. None compliance may be a ground for refusal of entry to the premises and receipt of delivery with no fault on the part of the Civil Aviation Authority of the Philippines.</i>
Terms of Payment	:	Payment upon full delivery and subject to usual government accounting rules and regulations.

Technical Specifications:

Item (1)	Coloured Multi-Functional Printer upto A3 capable
Quantity	Five (5) units
Printer Type	Print, Scan, Copy, Fax with ADF
Print	<p>Printing Technology: PrecisionCore Printhead</p> <p>Nozzle Configuration: 800 x 1 nozzles (Black), 256 x 1 nozzles per colour (Cyan, Magenta, Yellow)</p> <p>Print Direction: Bi-directional printing</p> <p>Maximum Resolution: 4800 x 2400 dpi</p> <p>Minimum Ink Droplet Volume: 3.8 pl</p> <p>Print Speed: <i>Draft Text - Memo, A4 (Black / Colour)</i> Up to 32.0 ppm / 22.0 ppm <i>ISO 24734, A4 (Black / Colour)</i> Simplex: Up to 25.0 ipm / 12.0 ipm Duplex: Up to 16.0 ipm / 9.0 ipm <i>First Page Out Time (Black / Colour), A4</i> Simplex: Up to 13.5 ipm / 6.0 ipm Duplex: Up to 10.0 ipm / 5.0 ipm <i>Photo Default - 10 x 15 cm / 4 x 6" (Border / Borderless)</i> Simplex: Up to 5.5 sec / 8.5 sec Duplex: Up to 11 sec / 17 sec</p> <p>Printer Language: ESC/P-R, ESC/P Raster</p> <p>Automatic 2-sided printing: Yes (Up to A3)</p>
Copy	<p>Copy Speed: <i>ISO 29183, A4 (Black / Colour), Flatbed</i> Simplex: Up to 23.0 ipm / 10.0 ipm <i>ISO 24735, A4 (Black / Colour), ADF</i></p>

	<p>Simplex: Up to 22.5 ipm / 10.0 ipm Duplex: Up to 15.5 ipm / 7.5 ipm</p> <p>Maximum Copies from Standalone: 999 copies</p> <p>Reduction/Enlargement: 25 - 400%</p> <p>Maximum Copy Resolution: 600 x 600 dpi</p> <p>Maximum Copy Size: A3</p>
Scan	<p>Scanner Type: Flatbed colour image scanner</p> <p>Sensor Type: CIS</p> <p>Optical Resolution: 1200 x 2400 dpi</p> <p>Maximum Scan Area: 297 x 431.8 (mm)</p> <p>Scanner Bit Depth: Colour: 48-bit input, 24-bit output Grayscale: 16-bit input, 8-bit output Black & White: 16-bit input, 1-bit output</p> <p>Scan Speed (Flatbed / ADF): <i>Monochrome 200dpi</i> Flatbed: 5 sec ADF (Simplex / Duplex): Up to 26.0 ipm / 11.5 ipm <i>Colour 200dpi</i> Flatbed: 10 sec ADF (Simplex / Duplex): Up to 9.0 ipm / 6.0 ipm</p>
Fax	<p>Type of Fax: Walk-up Black-and-white and Colour Fax Capability</p> <p>Receive Memory / Page Memory: 6MB, Page memory up to 550 pages</p> <p>Error Correction Mode:</p>

	<p>ITU-T T.30</p> <p>FAX Speed (Data Transfer Rate): Up to 33.6 kbps, Approx. 3 sec/page</p> <p>FAX Resolution: Up to 200 x 200 dpi</p> <p>Transmission Paper Size: <i>Flatbed:</i> A5, A4, A3, B5, B4, Half Letter, Letter, Legal, 11 x 17" <i>ADF:</i> A5, A4, A3, B5, B4, Half Letter, Letter, Legal, 11 x 17"</p> <p>Receiving Paper Size: Half Letter, A5, B5, A4, Letter, Legal, B4, 11 x 17", A3, A3+</p> <p>Speed Dial / Group Dial: Up to 200 numbers, 199 groups</p> <p>Fax Features: PC Fax (Transmission/Receive), Automatic Redial, Address book, Broadcast Fax (Mono Only), Transmit Reservation, Polling Reception, Fax Preview, Memory reception, Fax to Email, Fax to Folder, Automatic 2-sided Fax</p>
ADF Function	<p>Support Paper Thickness: 64-95 g/m²</p> <p>Paper Capacity: 50 sheets</p>
Card Slot / USB Host Function	<p>Type of Direct Printing: USB Memory</p>
Paper Handling	<p>Paper Feed Method: Friction Feed</p> <p>Number of Paper Trays: 3 (Front 2, Rear 1)</p> <p>Paper Hold Capacity: Input Capacity: Cassette 1: 250 sheets for A4 Plain paper (80 g/m²), 50 sheets for Premium Glossy Photo Paper Cassette 2: 250 sheets for A4 Plain paper (80 g/m²)</p>

	<p>Rear Slot: 50 sheets for A4 Plain paper (80 g/m²), 20 sheets for Premium Glossy Photo Paper</p> <p>Output Capacity: 125 sheets for A4 Plain paper (80 g/m²), 20 sheets for Premium Glossy Photo Paper</p> <p>Paper Size: A3, Super B (13 x 19"), Indian Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive (7.25 x 10.5"), B4, B5, A5, B6, A6, 8.5 x 13", 5 x 7", 4 x 6", 8 x 10", Legal (8.5 x 14"), 16:9 wide, Envelopes: #10, DL, C6, C4</p> <p>Maximum Paper Size: 329 x 6000mm</p> <p>Print Margin: 3mm top, left, right, bottom via custom settings in printer driver</p>
Interface	<p>USB: USB 2.0</p> <p>Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct</p> <p>Network Protocol: TCP/IPv4, TCP/IPv6</p> <p>Network Management Protocols: SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, Sntp, SLP, WSD, LLTD</p>
Mobile and Cloud Printing	<p>Connect: iPrint, Email Print, Remote Print Driver, Scan to Cloud</p> <p>Other Mobile Solutions: Compatible to other air print services</p>
Control Panel	<p>LCD Screen: 4.3" Colour LCD Touch Screen</p>
Printer Software	<p>Software Support: ScanSmart</p> <p>Operating System Compatibility: Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016 / 2019 Mac OS X 10.6.8 or later</p>

Electrical Specifications	<p>Rated Voltage: AC 220 - 240 V</p> <p>Rated Frequency: 50 - 60 Hz</p> <p>Power Consumption: Operating: 19.0 W Standby: 9.1 W Sleep: 0.8 W Power off: 0.2 W</p>
Noise Level	<p>PC Printing/ Plain Paper Default: Sound Power (Black / Colour) 6.7 B(A) / 6.2 B(A), Sound Pressure (Black / Colour) 52 dB(A) / 47 dB(A)</p>
Consumables	<p>Black Ink Bottle: 7,500</p> <p>Cyan Ink Bottle, Magenta Ink Bottle, Yellow Ink Bottle: 6,000 (Composite Yield)</p>
Warranty	1 Year upon acceptance

Prepared by:


APRIL FRANCES P. OBIÑA
Head, Procurement Planning
 Air Traffic Service

Approved by:


MARLENE I. SINGSON
Assistant Director General II
 Air Traffic Service



PRICE QUOTATION FORM

Date: _____

The Chairperson
 Canvass and Contract Committee
 Procurement Division, CAAP,
 MIA Road, Pasay City

Sir:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

Supply, Delivery and Installation of Multifunction Coloured Printers up to A3 Capable with Refillable Ink for ATS Offices and Facilities use				
Technical Specifications	Quantity	Unit	Unit Price	Total Price
Coloured Multi-Functional Printer upto A3 capable	5	units		
Printer Type: Print, Scan, Copy, Fax with ADF upto A3 capable; refillable ink <i>(See attached Terms of Reference for detailed specifications)</i>				
Warranty 1 Year upon acceptance				
TOTAL (inclusive of VAT)				

(Amount in Words)

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

 Name/Signature of Representative

 Position

 Name of Company

 Contact No.

 Email Address

