



2025-39

December 12, 2025

REQUEST FOR PRICE QUOTATION

The Civil Aviation Authority of the Philippines (CAAP) Area Center III hereby invites interested bidders for the PURCHASE OF BASE RADIO AT MARINDUQUE AIRPORT.

Approved budget for the project – Php 150,000.00

Please secure Canvass form from www.philgeps.gov.ph or at the Regional Office, Area Center III during office hours Monday to Friday starting December 15, 2025.

The sealed quotation shall be submitted at the Civil Aviation Authority of the Philippines Regional Office, Area Center 3, Civil Aviation Complex, Clark Freeport Zone, Mabalacat Pampanga on or before December 18, 2025 at 10:00am to the Bids and Awards Committee and will be opened on the same date at 2:00pm. Indicate in the sealed envelope the name of the Project you are participating.

The CAAP Area Center III reserves the right to accept or reject any bid, and to annul the bidding process and reject all Bids at any time prior to contract award without thereby incurring any liability to the affected Bidder/s.

You may call CAAP Area Center III BAC Secretariat Members at 0282464988 local 2258 for details.

Very truly yours,

ATTY. ROAN JILL E. HABOC
BAC Chairperson



Republic of the Philippines

CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

REQUEST FOR QUOTATION

Date : _____

APP item No : _____

Company/Business Name:¹ _____

Address: _____

Business/Mayor's Permit No.: _____

TIN: _____

PhilGEPS Registration Number *(required for ABC above 50k)*: _____

The **Civil Aviation Authority of the Philippines - AreaCenter III**, through its Bids and Awards Committee (BAC), intends to procure the **Purchase Of Base Radio at Marinduque Airport** through **Section 53.9 (Negotiated Procurement - Small Value Procurement)** of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184.

Please quote your **best offer** for the item/s described herein, subject to the Terms and Conditions provided on this Request for Quotation (RFQ). Submit your quotation duly signed by you or your duly authorized representative **not later than the deadline on December 18, 2025 at 10:00 a.m.**

Document	Remarks
Copy of 2025 Mayor's or Business Permit	Valid Mayor's or Business Permit
Original Notarized Omnibus Sworn Statement (GPPB-Prescribed Form) (For ABCs above P50k)	In the prescribed template. Downloadable at: https://www.gppb.gov.ph/wp-content/uploads/2023/06/Omnibus-Sworn-Statement-Revised.docx
PhilGEPS Registration Certificate (For ABCs above P50k)	Valid PhilGEPS Certificate of Registration (COR).
Latest Annual Income / Business Tax Return (For ABCs above P500k)	Annual Income Tax Return from previous year must be submitted.
Brochure	Copy of the brochure of the product/model being offered together showing its specifications.



Performance Security (for ABCs above P50k)	Once the Notice of Award of the Project is given, the winning bidder is required to submit Performance Security prior to the signing of the contract as prescribed by Section 39 of Updated 206 Revised IRR of RA 9184 to wit:	
	Form of Performance Security	Amount of Performance Security (Not less than the required percentage of the Total Contract Price)
	a.) Cash or cashier's/manager's check issued by a Universal or Commercial Bank. For biddings conducted by LGUs, the cashier's/manager's check may be issued by other banks certified by the BSP as authorized to issue such financial instrument. (a)	
	b.) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, That is shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. For biddings conducted by LGUs, bank draft/guarantee, or irrevocable letter of credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument. (a)	Goods and Consulting Services – Five percent (5%) Infrastructure Projects - Ten percent (10%)
	c.) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)
Non-submission of Performance Security shall warrant disqualification of bids as mandated by Section 40 of Updated 2016 Revised IRR of RA 9184.		

For any clarification, you may contact us at telephone no. **(045) 499-1663** or email address at **bac_area3@caap.gov.ph** .


ROAN JILLE HABOC
 BAC Chairperson



¹ In case of discrepancy on the business name as reflected on this RFQ and as reflected in the Business Permit, the latter shall prevail.

INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

- (1) Do not alter the contents of this form in any way.
- (2) The use of this RFQ is **highly encouraged** to minimize errors or omissions of the required mandatory provisions. In case of any changes, bidders must use or refer to the latest version of the RFQ, except when the latest version of the RFQ **only** pertains to deadline extension.

If another form is used other than the latest RFQ, the quotation shall contain all the mandatory requirements/provisions including manifestation on the agreement with Terms and Conditions below.

In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.

- (3) **All mandatory technical specifications (with asterisk) must be complied with.** Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- (4) Quotations may be submitted through electronic mail at **bac_area3@caap.gov.ph**.
- (5) Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the email shall be considered.

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
3. Price quotation/s must be valid for a period of thirty (30) calendar days from the deadline of submission.
4. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
6. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, CAAP Area Center III shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
7. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
8. The item/s shall be delivered according to the accepted offer of the bidder.
9. Item/s delivered shall be inspected on the scheduled date and time of the CAAP Area Center III. The delivery of the item/s shall be acknowledged upon the delivery to confirm compliance with the technical specifications
10. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e., Order Slip and/or Billing statement, by the supplier, contractor, or consultant. Our Government Servicing Bank, i.e., the Land Bank of the Philippines, shall consultant not earlier than twenty-fo



Official
Copy :er than forty-eight (48)

Spurious response rejection: More than 60 dB				
Audio output power: 4.5 W typ. (10% dist. 4 Ω load)				
External speaker connector: 2-conductor 3.5 (d) mm (1/8")/4 Ω				
Standard Accessories: Push-to-talk Hand Microphone; DC power cable Mounting Bracket Kit; Microphone Hanger; Spare Fuse				
I.2. VHF Antenna				
Frequency Coverage: 136 - 174 MHz				
Impedance: 50 ohms (Ω)				
VSWR: less than 1.5:1				
Type: Omni-directional				
Gain: 3.8 dB or better				
Max. Power Rating: 200 Watts				
I.3. Antenna Transmission Line Assembly				
Length: 30 meters				
Type: RG-8/U Coaxial Cable Assembly Fitted with PL-259				
RF Connectors on both ends				
I.4. Regulated DC Power Supply				
Type: Switching Power Supply				
Input Voltage: 220 VAC, 60 Hz				
Output Voltage: 13.8 VDC				
Current Rating: 30 Amps. Max.				
Meter: Voltage/Current Meter, backlit				
II. BASE UHF RADIO TRANSCEIVER SET:				
Specification:				
I.1. Base UHF Radio Transceiver				
Frequency Coverage: 350–400MHz				
Type of Emission: 16K0F3E, 8K50F3E, 4K00F1D/F1E				
No. of Channels: 128 channels				
Antenna Impedance: 50 ohms (Ω); (SO-239 antenna jack)				
Power Supply Requirement: 13.8 V DC ± 15 %				
Operating Temperature Range: -30°C to +60°C				
TX (High)				
Current Drain				
(approx.) RX (Max.				
Audio/				
Standby)				
Transmitter				
Output Power: 45 Watts				
Max. Frequency Deviation: ±5.0kHz/±2.5kHz (Wide/Narrow)				
Frequency Stability: ±1.0ppm				
Spurious Emissions: 70dB min.				

Microphone Impedance: 600Ω (8-pin modular)				
Receiver				
Sensitivity (at 12 dB SINAD): 0.25μV typ.				
Selectivity: 75/70dB typ. (W/N),				
Spurious response rejection: 70dB min.				
Audio output power: 4W typ.				
External speaker connector: 2-conductor 3.5 (d) mm (1/8")/4Ω				
Standard Accessories: Hand microphone; Microphone hanger; DC power cable; Mounting bracket kit				
I.2. UHF Antenna				
Frequency Coverage: 350–400MHz				
Impedance: 50 ohms (Ω)				
VSWR: less than 1.5:1				
Type: Omni-directional				
Gain: 5.5 dB or better				
Max. Power Rating: 200 Watts				
I.3. Antenna Transmission Line Assembly				
Length: 30 meters				
Type: RG-8/U Coaxial Cable Assembly Fitted with PL-259				
RF Connectors on both ends				
I.4. Regulated DC Power Supply				
Type: Switching Power Supply				
Input Voltage: 220 VAC, 60 Hz				
Output Voltage: 13.8 VDC				
Current Rating: 30 Amps. Max.				
Meter: Voltage/Current Meter, backlit				
***NTC License Processing Fees included				
xxx Nothing Follows xxx				

FINANCIAL OFFER:

Terms of Payment:

Payment shall be made upon completion of all required documents, inspection and acceptance of the end user if needed. Please provide the following bank details.

Payment Details:


Name of Payee: _____
TIN: _____



Please quote your total best offer for the item/s above. Please do not leave any blank items.
 Indicate "0" if item being offered is for free.

Purchase Of Base Radio at Marinduque Airport	
Approved Budget for the Contract: One Hundred Fifty Thousand Pesos Only (PhP 150,000.00)	
TOTAL OFFERED QUOTATION	
In Words:	
In Figures:	

Canvassed By:



RALPH ROBERT G. URBANO
 Authorized Canvasser

 Signature over Printed Name

 Position/Designation

 Office Telephone/Fax/Mobile Nos.

 Email address/es





Republic of the Philippines

CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

PURCHASE REQUEST

Department: Area Center III
 Section: _____

PR No.: _____
 SAI No.: _____



Date: December 02, 2025
 Date: _____

Stock No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
		Purchase of Base Radio at Marinduque Airport			
	unit	I. BASE VHF RADIO TRANSCEIVER SET:	1.00	150,000.00	150,000.00
		Specification:			
		I.1. Base VHF Radio Transceiver			
		Frequency Coverage: 136 - 174 MHz			
		Type of Emission: F2D, F3E (FM)			
		No. of Channels: 207 channels			
		Antenna Impedance: 50 ohms (Ω);			
		Power Supply Requirement: 13.8 V DC \pm 15 %			
		Operating Temperature Range: -10°C to +60°C			
		TX (High): 11 Amps.			
		Current Drain			
		(approx.) RX (Max. 1.5			
		Audio/ Amps./			
		Standby) 0.4 Amps.			
		Transmitter			
		Output Power: 50 Watts			
		Max. Frequency Deviation: \pm 5.0 kHz/ \pm 2.5 kHz			
		(Wide/Narrow)			
		Frequency Stability: \pm 3 ppm			
		Spurious Emissions: Less than -60 dBc			
		Microphone Impedance: 600 Ω (8-pin modular)			
		Receiver			
		Sensitivity (at 12 dB SINAD): Less than 0.18 μ V			
		Selectivity: Wide: More than 6 kHz (at 6 dB)			
		Less than 14 kHz (at 60 dB)			
		Narrow: More than 3 kHz (at 6 dB)			
		Less than 9 kHz (at 55 dB)			
		Spurious response rejection: More than 60 dB			
		Audio output power: 4.5 W typ. (10% dist. 4 Ω load)			
		External speaker connector: 2-conductor 3.5 (d) mm			
		(1/8")/4 Ω			
		Standard Accessories:			
		Push-to-talk Hand Microphone;			
		DC power cable			
		Mounting Bracket Kit;			
		Microphone Hanger;			
		Spare Fuse			
		I.2. VHF Antenna			
		Frequency Coverage: 136 - 174 MHz			
		Impedance: 50 ohms (Ω)			

		VSWR: less than 1.5:1			
		Type: Omni-directional			
		Gain: 3.8 dB or better			
		Max. Power Rating: 200 Watts			
		I.3. Antenna Transmission Line Assembly			
		Length: 30 meters			
		Type: RG-8/U Coaxial Cable Assembly Fitted with PL-259 RF Connectors on both ends			
		I.4. Regulated DC Power Supply			
		Type: Switching Power Supply			
		Input Voltage: 220 VAC, 60 Hz			
		Output Voltage: 13.8 VDC			
		Current Rating: 30 Amps. Max.			
		Meter: Voltage/Current Meter, backlit			
		II. BASE UHF RADIO TRANSCEIVER SET:			
		Specification:			
		I.1. Base UHF Radio Transceiver			
		Frequency Coverage: 350–400MHz			
		Type of Emission: 16K0F3E, 8K50F3E, 4K00F1D/F1E			
		No. of Channels: 128 channels			
		Antenna Impedance: 50 ohms (Ω); (SO-239 antenna jack)			
		Power Supply Requirement: 13.8 V DC \pm 15 %			
		Operating Temperature Range: -30°C to +60°C			
		TX (High)			
		Current Drain			
		(approx.) RX (Max. Audio/Standby)			
		Transmitter			
		Output Power: 45 Watts			
		Max. Frequency Deviation: \pm 5.0kHz/ \pm 2.5kHz (Wide/Narrow)			
		Frequency Stability: \pm 1.0ppm			
		Spurious Emissions: 70dB min.			
		Microphone Impedance: 600 Ω (8-pin modular)			
		Receiver			
		Sensitivity (at 12 dB SINAD): 0.25 μ V typ.			
		Selectivity: 75/70dB typ. (W/N),			
		Spurious response rejection: 70dB min.			
		Audio output power: 4W typ.			
		External speaker connector: 2-conductor 3.5 (d) mm (1/8")/4 Ω			
		Standard Accessories: Hand microphone; Microphone hanger; DC power cable; Mounting bracket kit			
		I.2. UHF Antenna			
		Frequency Coverage: 350–400MHz			
		Impedance: 50 ohms (Ω)			
		VSWR: less than 1.5:1			
		Type: Omni-directional			

	Gain: 5.5 dB or better			
	Max. Power Rating: 200 Watts			
	I.3. Antenna Transmission Line Assembly			
	Length: 30 meters			
	Type: RG-8/U Coaxial Cable Assembly Fitted with PL-259 RF Connectors on both ends			
	I.4. Regulated DC Power Supply			
	Type: Switching Power Supply			
	Input Voltage: 220 VAC, 60 Hz			
	Output Voltage: 13.8 VDC			
	Current Rating: 30 Amps. Max.			
	Meter: Voltage/Current Meter, backlit			
	***NTC License Processing Fees included			
				150,000.00
	xxxNothing Followsxxx			

Purpose: For the use of Marinduque Airport

Signature:		
Printed Name:	GLENN O. BELLO	GLENN B. TRIPULCA
Designation:	Acting Procurement Officer	Civil Aviation Area Manager Area Center III

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]